

VIRUTEXAG52FEDGEBANDERSET





The Virutex Hand-Held Hot Air Edgebander Set AG52F AG98F AU93 RC21E 5200199 is a professional- grade portable edgebanding solution designed for precision, flexibility, and ease of use. Featuring a unique tape tracking system, this manual edgebander ensures accurate alignment and superior bonding on a wide range of materials, making it ideal for both workshop and on-site applications.

SYSTEM COMPONENTS & WORKFLOW

AG52F Comprehensive Tooling Layout

Complete Set: 5200199





SYSTEM CAPACITIES & TECHNICAL SPECIFICATIONS

Specification Parameter	AG52F Standard Capabilities
Input Power	1500W
Maximum Edge banding Width	50mm(2")
Edging Thickness Range	0.4–1mm
Temperature Settings	300 ° C(570 ° F)/525 ° C(1000 ° F)
Air Delivery	400L/min(16CFM)
Minimum Internal Radius	20mm
Weight	2.7kg(6lbs)
Insulation	Double insulated

PRIMARY APPLICATIONS

- **Materials:** Application of pre-glued PVC, polyester, melamine, and wood engraving
- **Shapes:** Edgebanding on straight, curved, and shaped panels.
- **Circular Pieces:** Processing circular pieces with minimum internal radius of 20mm.
- **Job Sites:** On-site installation and workshop fabrication tasks.
- **Woodworking:** Furniture manufacturing, cabinetry, and custom panel work.
- **Mobility:** Perfect for professionals needing a lightweight, precise, and portable solution.

WHY CHOOSE THE AG52FSET

- **Superior Accuracy:** Unique tape tracking system ensures reliable alignment.
- **Maximum Flexibility:** Portable and lightweight design for any location.
- **Versatility:** Handles straight, curved, and complex shapes with ease.
- **Complete Workflow:** Comprehensive trimming and finishing system included.
- **Professional Use:** Fast setup and efficient operation.



PERFORMANCE & CONSTRUCTION FEATURES

- Advanced Tracking** Advanced tape tracking system ensures precise alignment of edging material along the panel edge.
- Hot Air Bonding** Hot air bonding technology activates pre-glued tapes for strong and reliable adhesion.
- Portable Design Fast** Light weight and portable design ideal for both work shop and on-site applications.
- Setup Dual** Fast setup time allows operation in less than one minute.
- Temperature** Dual temperature settings provide flexibility for different materials and working conditions.
- Rubber Guidance** Rubber clamp guidance system stabilizes the tool and improves tracking accuracy.
- Curved Capabilities** Compatible with curved work pieces down to 20mm internal radius.
- Double Trimmer** Double edge trimmer cuts both sides simultaneously for clean, efficient finishing.
- Convertible System** Convertible trimming system allows independent use for larger edge widths.
- Replaceable Blades** High-quality replaceable blades ensure long service life and consistent results.
- Double Scraper** Double scraper system removes glue residue and burrs for a professional finish.
- Manual End Trimmer** Manual end trimmer provides clean, precise cuts on panel corners.

The Virutex Hand-Held Hot Air Edgebander Set AG52F delivers unmatched portability, precision, and finishing quality, making it an essential tool for professionals in any environment.

